


## #UP1013 Biker shorts

Designed for a snug fit, these bike shorts make for a perfect summer staple. Its simple cut is great for any beginners ready to tackle sewing with knits. Style yours with a matching loose t-shirt to complete the look!

**1 cm seam allowance included!**



### Material

- 50 x 150 cm of 60-70% stretch jersey with spandex (medium to heavy weight preferred)
- All-purpose thread
- Stretch needle
- Twin stretch needle
- Roughly 1 m of knitted elastic (2.5 cm wide)

### Print & Assemble

- First, be sure to use ACROBAT READER to open your PDF sewing patterns. It's free!
- Then, open your file and click on the LAYERS icon (left side of the screen) and uncheck all the sizes you won't need.
- Now, click on the PRINT icon at the top of the screen. The print settings will appear, so verify that the ACTUAL SIZE option is checked. Click on the PRINT button!
- A 5 x 5 cm (and 2 x 2") control square is provided to ensure that your pattern is true to size.
- To ASSEMBLE, cut the sheets at the bottom and right margins, as indicated. Each sheet is labelled with a letter and a number (A1, B2...), so tape them together in numerical and alphabetical order. The sheets on one row should have the same letter, and the ones on the same column should have the same number.

### Sizing Guide

	XXS	XS	S	M	L	XL	XXL
<b>Bust</b>	85 cm	89 cm	93 cm	99 cm	105 cm	113 cm	121 cm
<b>Waist</b>	64 cm	68 cm	72 cm	78 cm	84 cm	92 cm	100 cm
<b>Hips</b>	92 cm	96 cm	100 cm	106 cm	112 cm	120 cm	128 cm

This pattern is drafted according to a standard height of **1.64 m**.

### Garment measurements

- **Rise:** approx. 24 cm
- **Inseam:** 14 cm

## #UP1013

### Biker shorts

---

#### Pattern Pieces

- Leg, 2x fabric
- Elastic length, 1x knitted elastic

#### Sewing Assembly

Unless otherwise specified, sew using a **1 cm** wide seam allowance.

1. Sew the legs at the inseams.
2. Sew the legs together at the crotch.
3. Overlap the ends of the knitted elastic by 2 cm and sew in place (rectangle stitch or zigzag stitch).
4. Apply the elastic to the top edge of the shorts.
5. Hem the top edge, catching the elastic (turn once 2.5 cm).
6. Hem the bottom of the legs (turn once 3 cm).



Share a photo of you  
wearing proudly  
your new biker shorts  
with

**#unfetteredpatterns!**



Cut on this line

M

S

XS

XXS


Cut on this line

Hem all

unfetteredpatterns.wordpress.com

Model #UP1013

Sizes XXS-XXL



Cut on this line

2 x 2"


5 x 5 cm

SIZE KEY

XXXL  
XXL  
XL  
L

Cut on this line





**Hem a**

Cut on this line

Cut on this line

Grainline

Cut on this line

Advance 3 cm

Cut x1 knitted elastic

**Elastic length**  
(width 2.5 cm)



Cut on this line

unfettered  
— unfettered patterns —

unfetteredpatterns.wordpress.com

Model #UP1013

Sizes **XXS-XXX**


**Legging**

Cut x2 fabric




Cut on this line

Allowance 2.5 cm




Cut on this line



© 1


Cut on this line

Cut on this line




© 2

Cut on this line



Q3



011